IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A stain-proofing agent comprising a polymer dissolved or dispersed in water, which polymer contains at least one repeating unit (A1) having at least two hydroxyl groups and, if necessary, contains optionally a repeating unit (B1) other than the repeating unit (A1), wherein the content (by mass) of the repeating unit (A1) is more than 10% based on the polymer, and wherein the repeating unit (A1) is selected from the group consisting of CH₂=CHCOOR¹, CH₂=C(CH₃)COOR¹, CH₂=CHOCOR¹, CH₂=CHCH₂OCR¹, CH₂=CHCH₂OCR¹, CH₂=CHCH₂OCR¹, CH₂=CHCH₂OCOR¹, CH₂=CHCONHR¹, CH₂=CHCH₂OCOR¹, CH₂=CHCON(R¹)₂, CH₂=CHCON(R¹)₂, CH₂=CHCON(R¹)₂, CH₂=CHCON(R¹)₂, CH₂=CHCON(R¹)₂, CH₂=CHCON(R¹)₂, CH₂=CHCON(R¹)₂, CH₂=CHCON(R¹)₂, CH₂=CHCON(R¹)₂, and CH₂=C(CH₃)NHCOR¹, wherein R¹ is an organic group having at least two hydroxyl groups, and optionally other functional groups, or nitrogen, chlorine or fluorine atoms, and wherein when two R¹ are contained, they may be the same or different.

Claim 2 (Original): The stain-proofing agent according to Claim 1, wherein at least one type of the repeating unit (B1) is a repeating unit (b1) having a crosslinkable functional group.

Claim 3 (Original): The stain-proofing agent according to Claim 1, wherein the octane removal work calculated from the contact angle of octane in water, of a coating film formed from the stain-proofing agent, is less than 3.0×10^{-2} J/m².

Claim 4 (Withdrawn): A coating composition comprising a coating resin and the stain-proofing agent as defined in Claim 1.

Claim 5 (Withdrawn): The coating composition according to Claim 4, wherein the coating resin is a fluororesin.

Claim 6 (Withdrawn): The coating composition according to Claim 4, which further contains a crosslinking agent capable of crosslinking the stain-proofing agent.

Claim 7 (Withdrawn): A coated article having a coating film formed by using the coating composition as defined in Claim 4.

Claim 8 (Withdrawn): A stain-proofing agent comprising a polymer which contains at least two repeating units (A2) having hydroxymethyl groups and, if necessary, contains a repeating unit (B2) other than the repeating units (A2), wherein the content (by mass) of the repeating units (A2) is more than 30%.

Claim 9 (Withdrawn): The stain-proofing agent according to Claim 8, wherein at least one type of the repeating unit (B2) is a repeating unit (b1) having a crosslinkable functional group.

Claim 10 (Withdrawn): The stain-proofing agent according to Claim 8, wherein the hydroxymethyl groups in the repeating units (A2) are bonded to nitrogen atoms.

Claim 11 (Withdrawn): The stain-proofing agent according to Claim 8, wherein the repeating units (A2) are repeating units obtained from at least one monomer selected from the

group consisting of N-hydroxymethylacrylamide, N-hydroxymethylmethacrylamide, N,N-bis(hydroxymethyl)acrylamide and N,N-bis(hydroxymethyl)methacrylamide.

Claim 12 (Withdrawn): The stain-proofing agent according to Claim 8, wherein the octane removal work calculated from the contact angle of octane in water, of a film formed from the stain-proofing agent, is less than 3.0×10^{-2} J/m².

Claim 13 (Withdrawn): A coating composition comprising a coating resin and the stain-proofing agent as defined in Claim 8.

Claim 14 (Withdrawn): The coating composition according to Claim 13, wherein the coating resin is a fluororesin.

Claim 15 (Withdrawn): The coating composition according to Claim 13, which further contains a crosslinking agent capable of crosslinking the stain-proofing agent.

Claim 16 (Withdrawn): A coated article having a coating film formed by using the coating composition as defined in Claim 13.

Claim 17 (New): A method of imparting stain proofing to an article comprising applying the stain-proofing agent according to Claim 1 thereto.

Claim 18 (New): A method of imparting stain proofing to an article comprising applying the stain-proofing agent according to Claim 2 thereto.

Application No. 10/766,940 Reply to Office Action of February 23, 2005

Claim 19 (New): A method of imparting stain proofing to an article comprising applying the stain-proofing agent according to Claim 3 thereto.